

**INDEX: VLF-ARM-01**

## TECHNICAL CARD



Remote tactical button



# VIDEX®



-20° +40°C



Free



IP68

## WARRANTY 1 YEAR

### General parameters

**Compatible** VLF-AT255RG,  
VLF-AT265

### Additional information

**Housing colour** Black

**Operating temperature range** -20° +40°C

**Mercury content** Does not contain

**Ingress protection** IP68

**Housing material** Aviation anodized aluminum

### Dimensions

**EAN** 4820246484077

**In the package** 1 pc.

**Height** 78 mm

**Outer box** 40 pcs.

**Width** 22 mm

**Depth** 13 mm

**Unit nett weight** 38g

### Signs marking goods

VIDEX VLF-ARM-01 for the flashlight

**INDEX: VLF-ARM-01**

**Packaging marking**

Recycling of waste,  
Utilization



**VIDEX<sup>®</sup>**

VIDEX VLF-ARM-01 for the flashlight

**INDEX: VLF-ARM-01**

# VIDEX<sup>®</sup>

## VIDEX VLF-ARM-01 for the flashlight

### INDEX: VLF-ARM-01



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.



Waste recycling after the end of the product's service life



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



-20° +40°C

— Operating temperatures range



Free

— The product does not contain mercury



IP68

— Class of protection against dust and moisture. The product has full protection against dust and prolonged immersion in water at a depth of more than 1 meter

